	A	1
	Application No.	Applicant(s)
Notice of Allowability	09/294,341	HIROKI, MASAAKI
	Examiner	Art Unit
	Regina Liang	2674
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE filed 11/14/05 and interview on 12/22/05</u> .		
2. The allowed claim(s) is/are 1,3-8,10,12-14,16,17,19-21,23,25-33,35 and 37-44.		
3.   Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)   All b)   Some* c)   None of the:		
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 □ Notice of Informal B	Potent Application (PTO 152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	Patent Application (PTO-152)
_	Paper No./Mail Dat	te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	ent of Reasons for Allowance
1. Die egiesi material	9.  Other	

Application/Control Number: 09/294,341

Art Unit: 2674

**EXAMINER'S AMENDMENT** 

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Eric Robinson on 12/22/05.

The application has been amended as follows:

in claim 1, last line, change "wherein noise in said display device is reduced" to --wherein noise

due to said first signal and said second signal is reduced by said phase difference--;

in claim 8, last line, change "wherein noise in said display device is reduced" to --wherein noise

due to said first signal and said second signal is reduced by said phase difference--;

in claim 14, last line, change "wherein noise in said display device is reduced" to --wherein noise

due to said first signal and said second signal is reduced by said phase difference--;

in claim 21, last line, change "wherein noise in said display device is reduced" to --wherein noise

due to said first signal and said second signal is reduced by said phase difference--;

in claim 27, line 5, after "panel" insert --using a circuit having a plurality of shift register--;

line 9, change "a" to -said--;

Application/Control Number: 09/294,341

Art Unit: 2674

1.1

last line, change "wherein noise in said display device is reduced" to --wherein noise due to said first signal and said second signal is reduced by said phase difference--;

Page 3

in claim 33, line 5, after "panel" insert --using a circuit having a plurality of shift register--;

line 9, change "a" to -said--;

last line, change "wherein noise in said display device is reduced" to --wherein noise due to said first signal and said second signal is reduced by said phase difference--.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Regina Liang whose telephone number is (571) 272-7693. The examiner can normally be reached on Monday-Friday from 8AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Edouard, can be reached on (571) 272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

Art Unit 2674